

Gramin Krishi Mausam Sewa

District Level Agromet Advisory Bulletin Govind Ballabh Pant University of Agriculture & Technology



Udham Singh Nagar, Pantnagar, Uttarakhand

Agromet Advisory Bulletin

Date: 10-03-2023

Weather Forecast of District UDAMSINGH-NAGAR(Uttarakhand) Issued On: 2023-03-10(Valid Till 08:30 IST of the next 5 days)

| Parameter | 2023-03-11 | 2023-03-12 | 2023-03-13 | 2023-03-14 | 2023-03-15 |
|------------------------|------------|------------|------------|------------|------------|
| Rainfall(mm) | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 |
| Tmax(°C) | 30.0 | 31.0 | 32.0 | 32.0 | 31.0 |
| Tmin(°C) | 13.0 | 14.0 | 14.0 | 13.0 | 12.0 |
| RH-I(%) | 75 | 75 | 75 | 75 | 80 |
| RH-II(%) | 30 | 30 | 30 | 35 | 35 |
| Wind Speed(kmph) | 6.0 | 6.0 | 6.0 | 6.0 | 6.0 |
| Wind Direction(Degree) | 320 | 230 | 230 | 120 | 100 |
| Cloud Cover(Octa) | 0 | 0 | 2 | 5 | 2 |

Weather Summary/Alert:

In the last seven days (3-9 March, 2023), there was 0.0 mm rain and the sky was Clear to cloudy. The maximum & minimum temperatures ranged between 28.5 to 31.0°C and 11.0 to 13.9°C respectively. Relative humidity ranges from 77 to 95 % at 0712 hrs and 26 to 52 % at 1412 hrs. The wind was mainly from the WNW & WSW with a speed of 0.5 to 8.4 km/hour. In the coming five days, very light rain may occur on 14-15, March otherwise weather will remain clear. Maximum & minimum temperature may range from 30.0 to 32.0 deg C & 12.0 to 14.0 deg C respectively. Wind will blow with a speed of 6.0 km/hr from the WSW, ESE, NW & WNW direction.

General Advisory:

Farmers are advised to download the "Meghdoot App" to get past week weather, weather forecast, and agromet advisory and "Damini App" to get lightning information. Meghdoot and Damini Apps can be downloaded from the google play store (Android users) and App Center (IOS users).NDVI & SPI map received from the India Meteorological Department indicated that the NDVI ranged between 0.2-0.55 for US Nagar during 26 Feb-4 March i.e. agriculture vigor is moderate to good in the district. SPI map indicates the mildly wet conditions in the district for the past 4 weeks i.e. during 10 February to 9 March 2022.

SMS Advisory:

In the coming five days, very light rain may occur on 14-15, March otherwise weather will remain clear.

Crop Specific Advisory:

| Crop(Varieties) | Crop Specific Advisory | | | | |
|-----------------|--|--|--|--|--|
| WHEAT | Necessary irrigation should be given in the wheat crop as needed. Remove weeds like Gulli Danda and jalgi jai (wild oats) and destroy them. On the occurrence of aphid in wheat, spray the solution of Thiomethaxam 25 WSG @ 100 ml/ha or Imidacloprid 17.8 SL @ 140 ml/ha in 500-600 liters of water. Do second spray at an interval of 15 days. Spray should be done in the morning or evening hours when there is no rain or strong wind. | | | | |
| MUSTARD | Harvest the mature crop of black mustard (rai) and store the grain after drying. | | | | |
| SUGARCANE | Irrigate the crop sown in the month of February and remove weeds by hoeing after 3-4 days. Complete the sowing of spring sugarcane by 15th of March. One line of urd, moong or cowpea can be sown as intercrops between two rows of sugarcane. Irrigate the winter crop of sugarcane as per requirement and do top dressing of urea as per recommendation. | | | | |
| CHICK PEA | Light irrigation should be given in the chickpea crop at the time of pod formation. To control the blight disease in gram, Mancozeb 75% WP @ 2.5g/lit should be sprayed | | | | |
| LENTIL | To control the blight disease in lentil, Mancozeb 75% WP @ 2.5g/lit should be sprayed. | | | | |

Horticulture Specific Advisory:

| Horticulture(Varieties) | Horticulture Specific Advisory | | | |
|-------------------------|---|--|--|--|
| MANGO | If Mango mealy bug appeared in the mango trees then cut and separate it and put it in the pit, cover with soil. Last year Gumba baur or Mango mal formation and leaves which are highly affected by powdery mildew should be destroyed by plucking. | | | |
| TOMATO | On the occurrence of fruit borer in the Tomato, fruit should be used only after 3 days and 5 days of spraying of Chlorantraniliprole 18.5 SC @ 150ml/Ha and Indoxacarb 14.5 SC @ 500ml/Ha respectively. | | | |
| ONION | Weeding, hoeing and irrigating should be done in onion crop as per the requirement | | | |
| POTATO | Complete the digging of potatoes by 15th March. Potato rot starts with late digging | | | |

Live Stock Specific Advisory:

| Live Stock(Varieties) | Live Stock Specific Advisory | |
|--------------------------|--|--|
| IRLIEBALCI | Sitting place of animals should be leveled so that their productive capacity is not affected and special care should be given to the new born animals. | |