

# **Gramin Krishi Mausam Sewa** District Level Agromet Advisory Bulletin Govind Ballabh Pant University of Agriculture & Technology Udham Singh Nagar,Pantnagar, Uttarakhand



# **Agromet Advisory Bulletin**

Date : 29-12-2020

Parameter	2020-12-30	2020-12-31	2021-01-01	2021-01-02	2021-01-03
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	13.0	13.0	14.0	14.0	14.0
Tmin(°C)	0.0	0.0	1.0	1.0	2.0
RH-I(%)	50	50	45	45	55
RH-II(%)	30	30	30	35	35
Wind Speed(kmph)	6.0	6.0	6.0	6.0	6.0
Wind Direction(Degree)	320	320	330	330	100
Cloud Cover(Octa)	0	0	0	2	3

#### Weather Forecast of NAINITAL(Uttarakhand) Issued On : 2020-12-29(Valid Till 08:30 IST of the next 5 days)

#### Weather Summary/Alert:

Weather will remain clear in the coming five days. Maximum & minimum temperature may range from 13.0 to 14.0 deg C & 0.0 to 2.0 deg C respectively. The wind is likely to occur from the West-North-West direction with a speed of 6 km/h.

#### **General Advisory:**

District Advisory

In view of the severe spread of Corona (Covid-19), the farmers are advised to follow the guidelines given by the Government of India during agricultural operations. Chances of pest and disease outbreaks increases in the changing weather therefore farmers are advised to monitor the crop regularly and recommended chemicals should be used based on their requirement.

### **SMS Advisory:**

Weather will remain clear in the coming five days.

# **Crop Specific Advisory:**

<b>Crop(Varieties)</b>	Crop Specific Advisory		
WHEAT	In unirrigated conditions, weeding and hoeing should be done in the crop, and in irrigated conditions recommended weedicide should be used to control the weed.		
BARLEY	Weeding and hoeing should be done in a barley crop.		
	Keep watching the crop regularly for insect and disease appearances. Use the chemicals by keeping in view the weather forecast.		

# Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory			
	In the irrigated valley, if the french bean (frasbean) is sown two months prior then plucking of pods should be done.			
	To control the Canker disease in the apple, cutting and pruning should be done. Unwanted and affected branches of apple should be removed through pruning and insecticide and fungicide should be sprayed only in clear weather.			

# Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory		
	In cold, increase the amount of oil and jaggery in the diet of animals. In extremely cold conditions give celery and jaggery to the animals.		

12/29/2020

District Advisory